



# 測試報告

# TEST REPORT

財團法人台灣電子檢驗中心  
ELECTRONICS TESTING CENTER, TAIWAN

地址：33383桃園縣龜山鄉樂善村文明路29巷8號  
ADDRESS: NO. 8, LANE 29, WENMING RD., LESHAN TSUEN, GUIZHAN  
SHIANG, TAoyUAN COUNTY 33383, TAIWAN

TEL: 886-3-3276157

FAX: 886-3-3276127



ELECTRONICS TESTING CENTER, TAIWAN  
ADDRESS: NO.8 LANE 29, WEN-MING RD.,  
LO-SHAN TSUN, KUI-SHAN HSIANG,  
TAOYUAN HSIEN, TAIWAN  
TEL:03-3280026 FAX:03-3276127  
<http://www.etc.org.tw>

## TEST REPORT

Ind. Ser. No. : 07-09-EAT-027-E00  
Applicant : ICP DAS CO., LTD.  
Address : No.111, Kuangfu N. Rd., Hukou Shiang, Hsinchu,  
Taiwan  
Commodity : Industrial Ethernet Switch  
Model : NS-205-IP67  
Quantity : 2 sets  
Date of Receipt : Sep. 07, 2007  
Date of Testing : Sep. 10, 2007  
Ambient Environment : Temp.  $24 \pm 2^{\circ}\text{C}$ , R.H.  $56 \pm 3\%$   
Testing Item :  
Degree of protection against ingress of water test

Approved by

Andrew Y Lin





# TEST REPORT

Ind. Ser. No. 07-09-EAT-027-E00

\*\*\*\*\*

Testing Conditions : According to IEC60529 degree IPX7 Section 14.1, 14.2.7  
& 14.3

Degree of protection against ingress of water test

Sample No. : # 1 & # 2

Sample condition : Unpackaged, Non-operating ( As shown in figure 1 )

Depth : 1m

Duration : 30 minutes

Appearance of sample : As shown in figure 2




Figure 1 : Illustration of degree of protection against ingress of water test



# TEST REPORT

Ind. Ser. No. 07-09-EAT-027-E00

\*\*\*\*\*

Testing Equipment :

NAME	MODEL
LARGE PLASTIC BUCKET	DA FENG 1000L




Figure 2 : Appearance of sample



# TEST REPORT

Ind. Ser. No. 07-09-EAT-027-E00

\*\*\*\*\*

Testing Result :

Degree of protection against ingress of water test		
Sample No.	Visual inspection	Functional check
# 1	There is no trace of water inside. ( As shown in figure 3 )	Normal.
# 2	There is no trace of water inside. ( As shown in figure 4 )	Normal.




Figure 3 : Appearance of internal part of sample # 1 after test





Figure 4 : Appearance of internal part of sample # 2 after test



  
Tester  
4 - 4