



Packing List

In addition to this guide, the package includes the following items:



WP-8147
WP-8447
WP-8847



microSD Card and
microSD to SD Adapter



Screw Driver

Resources


Technical Support

service@icpdas.com

www.icpdas.com

How to search for drivers, manuals and spec information on ICP DAS website.

- For Mobile Web



- For Desktop Web




PRODUCTS SOLUTIONS NEWS & EVENTS SUPPORT CORPORAT

1 Configuring the Boot Mode

Before starting any installation, be sure that the switch is placed in the 『0』 position.




2 Connecting to PC, Monitor and Power Supply



3 Inserting the I/O Module and Wiring Connection

WP-8xx7 has 1/4/8 I/O expansion slots and only supports high profile I-8K and I-87K series I/O modules.

For more information about this expansion I/O modules, please refer to the website.





4 Using PAC Utility to Manage the WP-8xx7

1) Double-click the PAC Utility on the desktop.

2) Configure IP address (DHCP), FTP Server, Auto Execution files, etc.

3) Reboot the WP-8xx7 for changes to take effect.




5 Using DCON Utility Pro to Configure I/O Modules

1) Double-click the DCON Utility Pro on the desktop.

2) Click the button.




3) Configure the communication settings.



- 4) Click the  button.

- 5) Click the module name to configure the I/O module.




6 Changing the User Interface Language

- 1) Click Start menu, point to Settings, click Control Panel, and then click Regional Settings.



- 2) Click User Interface Language tab, choose to your local language, and then click OK.



- 3) Run the PAC Utility, and then reboot the WP-8xx7 for changes to take effect.