

CERTIFICATE

of conformity

Order No. EC842314

Type of equipment: ICP-DAS

Document holder: ICP DAS CO., LTD.

No. 111, Kuangfu N. Rd., Hukou Shiang, Hsinchu, Taiwan

303, R.O.C.

Type designation:

ICPDAS CPU with Converter

Technical data:

Class A device

A sample of the equipment was tested and evaluated and found to comply with the following standard(s):

Standard(s):

EN 55022: 2006 Class A

EN 55024:1998/A1:2001/A2:2003

The equipment covered by this document is subject to mandatory compliance with - the EMC Directive 2004/108/EC.

Compliance with the standards listed above give presumption of conformity with the technical requirements of the directive they are harmonized to. Additional requirements may apply before placing on the market is legal e.g. Declaration of Conformity, the CE marking, technical documentation prepared/filed/updated and factory quality control.

The work performed by the laboratory issuing this document is covered in the scope of her accreditation. The documents shall be read in conjunction with the full test report(s). No follow up or inspection service is implied in this document and no period of validity is applicable.

Additional information in Appendix 1

May 07, 2008

Sporton International Inc.

Alex Chen / Manager



Appendix 1 to Order No. EC842314

Additional Information

Regarding to the difference construction of the EUT, the model number were shown in the table as following:

The models listed below are series model to ICPDAS CPU.

Main	Diversity	Remark
i-7531	CAN bus isolated repeater	
i-7565	USB to CAN Converter	
CAN-8423(i-8421)	CANopen Embedded Device with 4 I/O Expansions	Both of the models are identical except for the software.
CAN-8424(i-8420)	DeviceNet Embedded Device with 4 I/O Expansions	
i-8052W	8-channel Isolated Digital Input Module	
i-8064W	8-channel Power Relay Output Module	
i-8053W	16-channel Isolated Digital Input Module	
i-8057W	16-channel Isolated Open Collector Output Module	
PCI-M512U	Universal PCI,512K bytes Memory Board with DI/DO	Both of the models are identical except for the software.
PCI-M1024U	Universal PCI,1024K bytes Memory Board with DI/DO	
PCI-1202LU	32-ch, 12-bit, 110KS/s Low Gain Multi- function DAQ Board(1k word FIFO)	Both of the models are identical except for the software.
PCI-1202HU	32-ch, 12-bit, 40KS/s High Gain Multi- function DAQ Board(1k word FIFO)	
VXC-114U	Universal PCI, 4-port RS-232 Communication Board	
FRB-200U	FRB-200 Universal PCI Card	
FR-2057TA	16-channel Isolated Source Output Distributed I/O Module	
FR-2053TA	16-channel Isolated Sink/Source Digital Input Module	
FR-2156T	8-channel Isolated Digital Output with 12-pin screw terminal connector	
FR-2152T	8-channel Isolated Digital Input with 12-pin screw terminal connector	
FR-2054T	8-channel Digital Output and 8-Channel Digital Input Module	
FR-2057TW	16-channel Sink type Isolated High Current Output Module	