Classification	System and Application FAQ on WinCE PAC					No.	2-004-00
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	1/6

# How to edit the registry

Applies to:

· · · ·			
	Platform	OS Version	PAC Utility Version
	WinPAC	All Versions	All Versions
	ViewPAC	All Versions	All Versions

### Tips & Warnings



Editing the registry may result in unexpected errors.

This article shows you how to edit the registry, how to add a new key and delete it; after you finish the editing, refer to section 4 to save those modifications.

The edit tool "regedit.exe" is located at

- 1. The "\System\_Disk\Tools\RegEdit" folder on the WinPAC/ViewPAC device.
- 2. http://ftp.icpdas.com/pub/cd/winpac\_am335x/wp-5231/system\_disk/tools/regedit/

### 1. Editing the registry.



Step2. Select the key or value you want to edit.



Classification	System and Application FAQ on WinCE PAC					No.	2-004-00
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	2/6

Step3. Double click the value you want to edit, enter the new value and then click "OK".

lit Registry Key	
Value Name:	
COMPortMode	Enter the value you want to edit.
Value Data:	
0x1 (1)	
	Ok Cancel

## 2. Adding a new sub key or value.

Step1. Go to the "Path" where you want to add a new sub key or value.

E HKEY_LOCAL_MACHINE	-	Name	Туре	Data
🕀 Audio		COMPortIndex	DWord	0x6 (6)
ti - Comm		COMPortMode	DWord	Ox1 (1)
DelayAutoExe				
€ Explorer				
F⊢ExtModems				
(FHICPDAS)				
		Co. Itd Tech	ical document	
	ICP DAS	Co., Ltd. Techn	lical document	



Classification	System and Ap	System and Application FAQ on WinCE PAC No.						
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	4/6	
Step4. Key	/ in the value na	me and	value data, an	d then o	click "OK".			
Add DWC	ORD Value					_ 🗆 ×		
Valu	e Na Enter the v	alue nar	ne.					
Valu	e Data:							
	Enter the	<mark>e value d</mark>	ata.	k	Cancel			
3. Deleting	a key or va	alue.						

Step1. Click the key or value you want to delete, and then click "right"  $\rightarrow$  "Delete".

File Help				
	<b></b>	Name	Туре	Data
<ul> <li>Audio</li> <li>Comm</li> <li>DelayAutoExe</li> <li>Drivers</li> </ul>		11 C(Add → C(Delete	Dword DWord DWord	OxB (11) Ox6 (6) Ox1 (1)

Step2. Click "Yes" to confirm deletion.

Warnin	g!	ОК	×
⚠	Do you really want to delete the value: 11=0	xB (11	L)

Classification	System and Application FAQ on WinCE PAC					No.	2-004-00
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	5/6

## 4. Import Export Registry.

Convenient to store and load the registry settings

#### Export :

Step 1. Click "File" → "Export ALL"



Step 2. Choose the folder to store

Save As 🗈 鹶 📖			ок ×
(System_Disk		_	
0 9KR	Create a new folder named	7_arm	
autolaunch	"backup Reg."		
Dackup Reg P BPtimer (使田8055測度者)		Jings /er	
	CPDAS		- <u>-</u>
•			
Name:	Type: Regstry files (*.reg)		

Step 3. Enter Name  $\rightarrow$  "**OK**"



Classification System and Application FAQ on WinCE PAC				No.	2-004-00		
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	6/6
Import :							
Step 1. Cli	ICK "FII <b>e</b> " → "I	mport "					
File Help							
Export All	SES_ROOT						
Exit							
HKEY_US	ERS						
Step 2. Se	lect <b>"Export"</b> f	ile <b>→ "OK"</b>					
Open 🗈	→ <u>0-0-</u>			(	OK X		
ISyste	m_Disk\backup	Reg					
			. flaa (*				
Mame: JII.	1	Type: Tregistry	r mes (*.reg)				
		ICP DAS	Co., Ltd. 7	Technical do	cument		