Classification	System and Application FAQ on WinCE PAC					No.	2-017-00
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	1/5

# How to Use FTP/Telnet authentication

Platform	OS version	PAC utility version
WinPAC series	All versions (WinCE7)	All versions
ViewPAC series	All versions (WinCE7)	All versions

Please perform the follow steps to set the "User name" and "Password", before the user login the "Telnet" and "FTP" of the "WinPAC/ViewPAC".

### Add a User for FTP and Telnet

Step1: Run PAC utility and Click "Network -> Login Tab"

Step2: Type the user name and password. (The length of input characters must be less than 20.)
Step3: Press "Add" button

ICP DAS Co., Ltd. Technical document

Classification	System and Ap	plication l	FAQ on WinCE	PAC		No.	2-017-00	
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	2/5	
Delete a User for FTP and Telnet     Step1: Click any user in the "User name" field.     Step2: Display the user name that is chosen.     Step3: Press "Delete" button to delete the user name.								
Step2: Display the user hame that is chosen. Step3: Press "Delete" button to delete the user name. Access Login File Server Settings User name Password Login The Password Set name								
		ICP DAS	Co., Ltd. Tech	nical doc	ument			
ICP DAS Co., Ltd. Technical document								

Classification	System and Application FAQ on WinCE PAC					No.	2-017-00
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	3/5

## Use Telnet to Login WinPAC from PC

**Step1:** Start  $\rightarrow$  Run on PC.

- **Step2:** Type "cmd "to call a console window.
- **Step3:** Type "telnet (IP address)" to connect to WinPAC.
- Step4: If connection operation succeeds, type user name and password to login.

### **Step5:** Login successfully.

Image: State of the state	×
ICP DAS Co., Ltd. Technical document	

Classification	System and App	lication I	AQ on WinCE	PAC		No.	2-017-00		
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	4/5		
Use FTP to Login WinPAC from PC On WinPAC side: Step1: Set FTP in the PAC Utility. FTP: Enable.									
Allow Anonymous: Disable.									
Step2:Click"Ap	ply".								
FTP Allow Anonymo	US Enable	O Disa	able able						
Set FTP default	download director	y to:			2				
				Apply	$\Sigma$				
Set HTTP docur	nent root directory	to:		Apply					
	(			יישיי					
	ICP DAS Co., Ltd. Technical document								

Classification	System and Application FAQ on WinCE PAC					No.	2-017-00
Author	Eric_Shiu	Version	1.0.0	Date	2018/04/27	Page	5/5

#### On PC side:

Step3: On PC, open a windows and type "ftp:// (IP address)" and press "Enter".

Step4: Click right mouse button and select "Login As...".

Step5: Input user name and password.

